

APPENDIX A: FEED CLASSES

Overview

'Feed Classes' are defined as the overlying categories that each feed type is a part of.

List of Feed Classes

Subject to change, updated February 2022.

- Animal Byproducts
- Cereal Grain Byproducts
- Cereal Grains
- Check Program Materials
- Commercial Products
- Forages – Dry
- Forages – Ensiled
- Forages – Fresh
- Liquid Products
- Manure – Fertilizer Evaluation
- Manure – Nutritional Evaluation
- Milk Products
- Mineral Sources
- Miscellaneous
- Oilseed Byproducts and Meals
- Oilseeds
- Plant Tissue
- QC Material
- Roots, Fruits and Byproducts
- Rumen Fluid and Residues
- Total Mixed Rations
- Water

Overview

'Feed Types' are defined as the individual feed type within a feed category.

List of Feed Types

Subject to change, updated March 2022.

There are two lists below. The first list is the **'Feed Types'** listed within each **'Feed Category'**. The second list is an alphabetical list of all **'Feed Types'** with a notation of their **'Feed Category'**.

Feed Types Within Each Feed Category

- **Animal Byproducts**

- Blood Meal
- Feather Meal
- Fish Meal
- Meat and Bone Meal
- Meat Scraps
- Porcine Meal
- Poultry Meal

- **Cereal Byproducts**

- Barley Screenings
- Barley Sprouts
- Bran Midds
- Brewers Condensed Solubles
- Brewers Grains
- Cob Meal
- Corn Germ
- Corn Gluten Feed
- Corn Gluten Meal
- Corn Screenings
- Corn Starch
- Corn Syrup
- Corn, Extruded
- Distillers Grains, Dry (Barley)
- Distillers Grains, Dry (Corn)
- Distillers Grains, Dry (Wheat)
- Distillers Grains, Wet (Barley)
- Distillers Grains, Wet (Corn)
- Distillers Grains, Wet (Wheat)
- Distillers Solubles
- Distillers, High Protein or Modified (Barley)

- Distillers, High Protein or Modified (Corn)
- Distillers, High Protein or Modified (Wheat)
- Grain Hulls
- Grains, Sprouted
- Malt
- Malt Sprouts
- Mill Screenings
- Rice Bran
- Rice Hulls
- Rice Mill Feed
- Small Grain Byproduct
- Wheat Bran
- Wheat Midds

- **Cereal Grains**

- Barley Grain
- Buckwheat Grain
- Concentrate
- Corn Grain, Dry
- Corn Grain, High Moisture
- Ear Corn
- Snaplage
- Hominy
- Millet Grain
- Milo Grain
- Oat Grain
- Popcorn Grain
- Rice
- Rye Grain
- Small Grains

- Sorghum Grain
- Spelts Grain
- Wheat Grain
- **Commercial Products**
 - Fermentin
 - Lin Pro
 - Mycelium
 - Pet Food
 - Red Dog Flour
- **Fats and Oils**
 - Palm Fat
 - Tallow
 - Vegetable Oils
- **Food Waste**
 - Bakery Waste
 - Bread
 - Candy
 - Cheese
 - Chocolate
 - Confectioners (Powdered) Sugar
 - Gummy Candy
 - Ice Cream
 - Okara (Soy Pulp or Tofu Dregs)
 - Pasta
 - Potato Chip Meal
 - Sake Lees
 - Soy Sauce Byproduct
 - Tea Dregs
 - Tofu
 - Tortillas
- **Forages – Dry**
 - Alfalfa Forage Dry
 - Alfalfa Forage Dry, Low Fiber Spread (only available at main CVAS Lab)
 - Bahia Forage Dry
 - Barley Forage Dry
 - Bermuda Forage Dry
 - Blue Grass Forage Dry
 - Bluestem Grass Forage Dry
 - Brassica Forage Dry
 - Brome Grass Forage Dry
 - Canola (Rapeseed) Forage Dry
 - Clover Forage Dry
 - Clover, Red Forage Dry
 - Clover, White Forage Dry
 - Crabgrass Forage Dry
 - Dallisgrass Forage Dry
 - Eastern Gamagrass Forage Dry
 - Fescue Forage Dry
 - Grass Forage Dry
 - Indiangrass Forage Dry
 - Kikuyu Forage Dry
 - Klein Grass Forage Dry
 - Lablab Forage Dry
 - Legume Forage Dry
 - Matua Forage Dry
 - Meadow Grass Forage Dry
 - Millet Forage Dry
 - Milo Forage Dry
 - Mint Forage Dry
 - Mixed Forage Dry
 - Mixed Mostly Grass Forage Dry
 - Mixed Mostly Legume Forage Dry
 - Oat Forage Dry
 - Oats and Peas Forage Dry
 - Orchard Grass Forage Dry
 - Pea Forage Dry
 - Peanut Forage Dry
 - Pearl Millet Forage Dry
 - Reeds Canary Forage Dry
 - Rice Straw
 - Rye Forage Dry
 - Small Grain Forage Dry
 - Sorghum Forage Dry
 - Sorghum / Sudan Forage Dry
 - Soybean Forage Dry
 - Straw
 - Sudan Forage Dry
 - Sunn Hemp Forage Dry
 - Switch Grass Forage Dry
 - Teff Forage Dry
 - Tifton Forage Dry
 - Timothy Forage Dry

- Triticale Forage Dry
- Uncategorized Forage Dry
- Western Hay
- Wheat Forage Dry
- **Forages – Ensiled**
 - Alfalfa Forage Ensiled
 - Alfalfa Forage Ensiled, Low Fiber Spread
 - Bahia Forage Ensiled
 - Barley Forage Ensiled
 - Bermuda Forage Ensiled
 - Blue Grass Forage Ensiled
 - Brome Grass Forage Ensiled
 - Canola Forage Ensiled
 - Clover Forage Ensiled
 - Clover, Red Forage Ensiled
 - Corn Silage
 - Corn Silage, BMI
 - Corn Silage, High NDFD
 - Corn Silage, Sweet
 - Corn Silage, Tropical
 - Fescue Forage Ensiled
 - Grass Forage Ensiled
 - Hemp Forage Ensiled
 - Kikuyu Forage Ensiled
 - Legume Forage Ensiled
 - Matua Forage Ensiled
 - Meadow Grass Forage Ensiled
 - Millet Forage Ensiled
 - Milo Forage Ensiled
 - Mint Forage Ensiled
 - Mixed Forage Ensiled
 - Mixed Mostly Grass Forage Ensiled
 - Mixed Mostly Legume Forage Ensiled
 - Mulberry Forage Ensiled
 - Oat Forage Ensiled
 - Oats and Peas Forage Ensiled
 - Orchard Grass Forage Ensiled
 - Pea Forage Ensiled
 - Peanut Forage Ensiled
 - Quinoa Forage Ensiled
 - Red Clover Forage Ensiled
 - Reeds Canary Forage Ensiled
 - Rice Forage Ensiled
 - Rye Forage Ensiled
 - Small Grain Forage Ensiled
 - Sorghum BMR Forage Ensiled
 - Sorghum Forage Ensiled
 - Sorghum Forage Ensiled, High Starch
 - Sorghum / Sudan Forage Ensiled
 - Sorghum / Sudan BMR Forage Ensiled
 - Soybean Forage Ensiled
 - Sudan Forage Ensiled
 - Tifton Forage Ensiled
 - Timothy Forage Ensiled
 - Tomato Forage Ensiled
 - Triticale Forage Ensiled
 - Uncategorized Forage Ensiled
 - Wheat Forage Ensiled
- **Forages – Fresh**
 - Beet Fodder
 - Corn Cobs
 - Corn Silage Fresh
 - Grass Pasture
 - Legume Pasture
 - Mixed Mostly Grass Pasture
 - Mixed Mostly Legume Pasture
 - Plant Tissue
 - Stover / Stalklage
- **Liquid Products**
 - Liquid Feed
 - Liquid Material
- **Manure – Fertilizer Evaluation**
 - Beef Manure Liquid
 - Beef Manure Solid
 - Compost
 - Dairy Manure Liquid
 - Dairy Manure Solid
 - Misc. Manure for Fertilizer
 - Poultry Manure Liquid
 - Poultry Manure Solid
 - Swine Manure Liquid
 - Swine Manure Solid
 - Wash Water

- **Manure – Nutritional Evaluation**

- Manure
- Manure, Dairy
- Manure, Liquid
- Manure, Solid
- Poultry Litter

- **Milk Products**

- Lactose
- Milk Replacer
- Whey

- **Mineral Sources**

- Calcium Chloride
- Calcium Iodate
- Calcium Sulphate
- Cobalt Carbonate 46%
- Cobal Sulphate Monohydrate
- Copper Oxide
- Copper Sulfate 100
- Copper Sulfate 40
- Dical Monocal Monophosphate
- Dicalcium Phosphate Anhydrous
- Dicalcium Phosphate 18.5%
- Disodium Phosphate Anhydrous
- Dynamate
- Ferrous Carbonate
- Ferrous Sulfate Monohydrate
- Iron Oxide
- Limestone
- Limestone, High Calcium
- Limestone, High Magnesium
- Magnesium Chloride
- Magnesium Oxide
- Magnesium Sulphate
- Mineral Ingredient
- Mineral Mix
- Monoammonium Phosphate 24%
- Monocalcium Phosphate 21%
- Oyster Shells
- Potassium Carbonate
- Potassium Chloride
- Potassium Iodide

- Selenium
- Sodium Bicarbonate
- Sodium Selenite
- Sodium Sulphate
- Zinc Oxide 72%
- Zinc Sulphate

- **Miscellaneous**

- Agamate
- Biochlor
- Bypass Fat, Calcium Salts
- Bypass Fat, Hydrolyzed (Prilled)
- Bypass Fat, partially hydrogenated)
- Byproduct, High Fat
- Byproduct, High Starch
- Byproduct, High Sugar
- High Fat Misc. Mixed Feed
- High Protein Blend
- High Protein Bypass Blend
- Ingredient Mixture
- Kelp / Seaweed
- Misc. Feed Mix
- Saw Dust
- Uncategorized
- Urea
- Urine

- **Oilseed Byproducts and Meals**

- 44% Soybean Meal
- 48% Soybean Meal
- Alfalfa Meal
- Alfalfa Pellets
- Almond Hulls
- Almond Hulls, Extruded
- Almond Shells
- Camelina Meal
- Canola Meal
- Canola Meal, High Fat
- Chickpea Biomass
- Cotton Gin Trash
- Cottonseed Delinted
- Cottonseed Hulls
- Cottonseed Meal

- Hemp Meal
 - Linseed Meal
 - Olive Pomace
 - Palm Fronds
 - Pea Starch
 - Peanut Hulls
 - Peanut Meal
 - Peanut Skins
 - Safflower Meal
 - Sesame Seed Meal
 - Soy Protein Bypass
 - Soybean Meal, Organic
 - Soyhulls
 - Sunflower Meal
 - Sunflower Oil Cake
 - Tree Nuts Meal
 - Whole Cottonseed
- **Oilseeds**
 - Beans
 - Canola
 - Faba (Fava) Beans
 - Flax Seeds
 - Grain Mix
 - Grain Mix, Low Protein
 - Lentils
 - Lupins
 - Peanuts
 - Peas
 - Pistachios
 - Soybean, Extruded
 - Soybeans, Heat Treated
 - Soybeans, Raw
 - Sunflower Seeds
 - Tree Nuts
 - **QC Material**
 - QC Corn Silage Check Cell
 - QC Haylage Check Cell
 - Quality Control
- **Roots, Fruits and Byproducts**
 - Apple Tailings
 - Beet Pulp
 - Beets
 - Beets, Sugar
 - Citrus Pulp
 - Fruit Waste
 - Garlic
 - Grape Pomace
 - Molasses
 - Onions
 - Potato Waste
 - Pumpkin
 - Sugar Cane
 - Sweet Potato
 - Turnips
 - Vegetable Waste
 - **Rumen Fluid and Residues**
 - Fermenter Residue
 - In Situ Residue
 - Rumen Fluid
 - **Total Mixed Rations**
 - Dry Cow TMR
 - Forage TMR
 - Heifer TMR
 - High Grain TMR
 - High TMR
 - Low TMR
 - Medium TMR
 - TMR
 - **Water**
 - Water

Feed Types Listed Alphabetically (Feed Category)

- 44% Soybean Meal (Oilseed Byproducts & Meals)
- 48% Soybean Meal (Oilseed Byproducts & Meals)
- Agamate (Miscellaneous)
- Alfalfa Forage Dry (Forages – Dry)
- Alfalfa Forage Dry, Low Fiber Spread (only available at main CVAS Lab) (Forages – Dry)
- Alfalfa Forage Ensiled (Forages – Ensiled)
- Alfalfa Forage Ensiled, Low Fiber Spread (Forages – Ensiled)
- Alfalfa Meal (Oilseed Byproducts & Meals)
- Alfalfa Pellets (Oilseed Byproducts & Meals)
- Almond Hulls (Oilseed Byproducts & Meals)
- Almond Hulls, Extruded (Oilseed Byproducts & Meals)
- Almond Shells (Oilseed Byproducts & Meals)
- Apple Tailings (Roots, Fruits & Byproducts)
- Bahia Forage Dry (Forages – Dry)
- Bahia Forage Ensiled (Forages – Ensiled)
- Bakery Waste (Food Waste)
- Barley Forage Dry (Forages – Dry)
- Barley Forage Ensiled (Forages – Ensiled)
- Barley Grain (Cereal Grains)
- Barley Screenings (Cereal Byproducts)
- Barley Sprouts (Cereal Byproducts)
- Beans (Oilseeds)
- Beef Manure Liquid (Manure – Fertilizer)
- Beef Manure Solid (Manure – Fertilizer)
- Beet Fodder (Forages – Fresh)
- Beet Pulp (Roots, Fruits & Byproducts)
- Beets (Roots, Fruits & Byproducts)
- Beets, Sugar (Roots, Fruits & Byproducts)
- Bermuda Forage Dry (Forages – Dry)
- Bermuda Forage Ensiled (Forages – Ensiled)
- Biochlor (Miscellaneous)
- Blood Meal (Animal Byproducts)
- Blue Grass Forage Dry (Forages – Dry)
- Blue Grass Forage Ensiled (Forages – Ensiled)
- Bluestem Grass Forage Dry (Forages – Dry)
- Bran Midds (Cereal Byproducts)
- Brassica Forage Dry (Forages – Dry)
- Bread (Food Waste)
- Brewers Condensed Solubles (Cereal Byproducts)
- Brewers Grains (Cereal Byproducts)
- Brome Grass Forage Dry (Forages – Dry)
- Brome Grass Forage Ensiled (Forages – Ensiled)
- Buckwheat Grain (Cereal Grains)
- Bypass Fat, Calcium Salts (Miscellaneous)
- Bypass Fat, Hydrolyzed (Prilled) (Miscellaneous)
- Bypass Fat, partially hydrogenated (Miscellaneous)
- Byproduct, High Fat (Miscellaneous)
- Byproduct, High Starch (Miscellaneous)
- Byproduct, High Sugar (Miscellaneous)
- Calcium Chloride (Minerals Sources)
- Calcium Iodate (Minerals Sources)
- Calcium Sulphate (Minerals Sources)
- Camelina Meal (Oilseed Byproducts & Meal)
- Candy (Food Waste)
- Canola (Oilseeds)
- Canola (Rapeseed) Forage Dry (Forages – Dry)
- Canola Forage Ensiled (Forages – Ensiled)
- Canola Meal (Oilseed Byproducts & Meals)
- Canola Meal, High Fat (Oilseed Byproducts & Meals)
- Cheese (Food Waste)
- Chickpea Biomass (Oilseed Byproducts & Meals)
- Chocolate (Food Waste)

- Citrus Pulp (Roots, Fruits & Byproducts)
- Clover Forage Dry (Forages – Dry)
- Clover Forage Ensiled (Forages – Ensiled)
- Clover, Red Forage Dry (Forages – Dry)
- Clover, Red Forage Ensiled (Forages – Ensiled)
- Clover, White Forage Dry (Forages – Dry)
- Cob Meal (Cereal Byproducts)
- Cobalt Sulphate Monohydrate (Minerals Sources)
- Cobalt Carbonate 46% (Minerals Sources)
- Compost (Manure – Fertilizer)
- Concentrate (Cereal Grains)
- Confectioners (Powdered) Sugar (Food Waste)
- Copper Oxide (Minerals Sources)
- Copper Sulfate 100 (Minerals Sources)
- Copper Sulfate 40 (Minerals Sources)
- Corn Cobs (Forages – Fresh)
- Corn Germ (Cereal Byproducts)
- Corn Gluten Feed (Cereal Byproducts)
- Corn Gluten Meal (Cereal Byproducts)
- Corn Grain, Dry (Cereal Grains)
- Corn Grain, High Moisture (Cereal Grains)
- Corn Screenings (Cereal Byproducts)
- Corn Silage (Forages – Ensiled)
- Corn Silage Fresh (Forages – Fresh)
- Corn Silage, BMI (Forages – Ensiled)
- Corn Silage, High NDFD (Forages – Ensiled)
- Corn Silage, Sweet (Forages – Ensiled)
- Corn Silage, Tropical (Forages – Ensiled)
- Corn Starch (Cereal Byproducts)
- Corn Syrup (Cereal Byproducts)
- Corn, Extruded (Cereal Byproducts)
- Cotton Gin Trash (Oilseed Byproducts & Meals)
- Cottonseed Delinted (Oilseed Byproducts & Meals)
- Cottonseed Hulls (Oilseed Byproducts & Meals)
- Cottonseed Meal (Oilseed Byproducts & Meals)
- Crabgrass Forage Dry (Forages – Dry)
- Dairy Manure Liquid (Manure – Fertilizer)
- Dairy Manure Solid (Manure – Fertilizer)
- Dallisgrass Forage Dry (Forages – Dry)
- Dical Monocal Monophosphate (Minerals Sources)
- Dicalcium Phosphate 18.5% (Minerals Sources)
- Dicalcium Phosphate Anhydrous (Minerals Sources)
- Disodium Phosphate Anhydrous (Minerals Sources)
- Distillers Grains, Dry (Barley) (Cereal Byproducts)
- Distillers Grains, Dry (Corn) (Cereal Byproducts)
- Distillers Grains, Dry (Wheat) (Cereal Byproducts)
- Distillers Grains, Wet (Barley) (Cereal Byproducts)
- Distillers Grains, Wet (Corn) (Cereal Byproducts)
- Distillers Grains, Wet (Wheat) (Cereal Byproducts)
- Distillers Solubles (Cereal Byproducts)
- Distillers, High Protein or Modified (Barley) (Cereal Byproducts)
- Distillers, High Protein or Modified (Corn) (Cereal Byproducts)
- Distillers, High Protein or Modified (Wheat) (Cereal Byproducts)
- Dry Cow TMR (Total Mixed Rations)
- Dynamate (Minerals Sources)
- Ear Corn (Cereal Grains)
- Eastern Gamagrass Forage Dry (Forages – Dry)
- Faba (Fava) Beans (Oilseeds)
- Feather Meal (Animal Byproducts)

- Fermenter Residue (Rumen Fluid)
- Fermentin (Commercial Products)
- Ferrous Carbonate (Minerals Sources)
- Ferrous Sulfate Monohydrate (Minerals Sources)
- Fescue Forage Dry (Forages – Dry)
- Fescue Forage Ensiled (Forages – Ensiled)
- Fish Meal (Animal Byproducts)
- Flax Seeds (Oilseeds)
- Forage TMR (Total Mixed Rations)
- Fruit Waste (Roots, Fruits & Byproducts)
- Garlic (Roots, Fruits & Byproducts)
- Grain Hulls (Cereal Byproducts)
- Grain Mix (Oilseeds)
- Grain Mix, Low Protein (Oilseeds)
- Grains, Sprouted (Cereal Byproducts)
- Grape Pomace (Roots, Fruits & Byproducts)
- Grass Forage Dry (Forages – Dry)
- Grass Forage Ensiled (Forages – Ensiled)
- Grass Pasture (Forages – Fresh)
- Gummy Candy (Food Waste)
- Heifer TMR (Total Mixed Rations)
- Hemp Forage Ensiled (Forages – Ensiled)
- Hemp Meal (Oilseed Byproducts & Meals)
- High Fat Misc. Mixed Feed (Miscellaneous)
- High Grain TMR (Total Mixed Rations)
- High Protein Blend (Miscellaneous)
- High Protein Bypass Blend (Miscellaneous)
- High TMR (Total Mixed Rations)
- Hominy (Cereal Grains)
- Ice Cream (Food Waste)
- In Situ Residue (Rumen Fluid)
- Indiangrass Forage Dry (Forages – Dry)
- Ingredient Mixture (Miscellaneous)
- Iron Oxide (Minerals Sources)
- Kelp / Seaweed (Miscellaneous)
- Kikuyu Forage Dry (Forages – Dry)
- Kikuyu Forage Ensiled (Forages – Ensiled)
- Klein Grass Forage Dry (Forages – Dry)
- Lablab Forage Dry (Forages – Dry)
- Lactose (Milk Products)
- Legume Forage Dry (Forages – Dry)
- Legume Forage Ensiled (Forages – Ensiled)
- Legume Pasture (Forages – Fresh)
- Lentils (Oilseeds)
- Limestone (Minerals Sources)
- Limestone, High Calcium (Minerals Sources)
- Limestone, High Magnesium (Minerals Sources)
- Lin Pro (Commercial Products)
- Linseed Meal (Oilseed Byproducts & Meals)
- Liquid Feed (Liquid Products)
- Liquid Material (Liquid Products)
- Low TMR (Total Mixed Rations)
- Lupins (Oilseeds)
- Magnesium Chloride (Minerals Sources)
- Magnesium Oxide (Minerals Sources)
- Magnesium Sulphate (Minerals Sources)
- Malt (Cereal Byproducts)
- Malt Sprouts (Cereal Byproducts)
- Manure (Manure – Nutritional)
- Manure, Dairy (Manure – Nutritional)
- Manure, Liquid (Manure – Nutritional)
- Manure, Solid (Manure – Nutritional)
- Matua Forage Dry (Forages – Dry)
- Matua Forage Ensiled (Forages – Ensiled)
- Meadow Grass Forage Dry (Forages – Dry)
- Meadow Grass Forage Ensiled (Forages – Ensiled)
- Meat and Bone Meal (Animal Byproducts)
- Meat Scraps (Animal Byproducts)
- Medium TMR (Total Mixed Rations)

- Milk Replacer (Milk Products)
- Mill Screenings (Cereal Byproducts)
- Millet Forage Dry (Forages – Dry)
- Millet Forage Ensiled (Forages – Ensiled)
- Millet Grain (Cereal Grains)
- Milo Forage Dry (Forages – Dry)
- Milo Forage Ensiled (Forages – Ensiled)
- Milo Grain (Cereal Grains)
- Mineral Ingredient (Minerals Sources)
- Mineral Mix (Minerals Sources)
- Mint Forage Dry (Forages – Dry)
- Mint Forage Ensiled (Forages – Ensiled)
- Misc. Feed Mix (Miscellaneous)
- Misc. Manure for Fertilizer (Manure – Fertilizer)
- Mixed Forage Dry (Forages – Dry)
- Mixed Forage Ensiled (Forages – Ensiled)
- Mixed Mostly Grass Forage Dry (Forages – Dry)
- Mixed Mostly Grass Forage Ensiled (Forages – Ensiled)
- Mixed Mostly Grass Pasture (Forages – Fresh)
- Mixed Mostly Legume Forage Dry (Forages – Dry)
- Mixed Mostly Legume Forage Ensiled (Forages – Ensiled)
- Mixed Mostly Legume Pasture (Forages – Fresh)
- Molasses (Roots, Fruits & Byproducts)
- Monoammonium Phosphate 24% (Minerals Sources)
- Monocalcium Phosphate 21% (Minerals Sources)
- Mulberry Forage Ensiled (Forages – Ensiled)
- Mycelium (Commercial Products)
- Oat Forage Dry (Forages – Dry)
- Oat Forage Ensiled (Forages – Ensiled)
- Oat Grain (Cereal Grains)
- Oats and Peas Forage Dry (Forages – Dry)
- Oats and Peas Forage Ensiled (Forages – Ensiled)
- Okara (Soy Pulp or Tofu Dregs) (Food Waste)
- Olive Pomace (Oilseed Byproducts & Meals)
- Onions (Roots, Fruits & Byproducts)
- Orchard Grass Forage Dry (Forages – Dry)
- Orchard Grass Forage Ensiled (Forages – Ensiled)
- Oyster Shells (Minerals Sources)
- Palm Fat (Fats and Oils)
- Palm Fronds (Oilseed Byproducts & Meals)
- Pasta (Food Waste)
- Pea Forage Dry (Forages – Dry)
- Pea Forage Ensiled (Forages – Ensiled)
- Pea Starch (Oilseed Byproducts & Meals)
- Peanut Forage Dry (Forages – Dry)
- Peanut Forage Ensiled (Forages – Ensiled)
- Peanut Hulls (Oilseed Byproducts & Meals)
- Peanut Meal (Oilseed Byproducts & Meals)
- Peanut Skins (Oilseed Byproducts & Meals)
- Peanuts (Oilseeds)
- Pearl Millet Forage Dry (Forages – Dry)
- Peas (Oilseeds)
- Pet Food (Commercial Products)
- Pistachios (Oilseeds)
- Plant Tissue (Forages – Fresh)
- Popcorn Grain (Cereal Grains)
- Porcine Meal (Animal Byproducts)
- Potassium Carbonate (Minerals Sources)
- Potassium Chloride (Minerals Sources)
- Potassium Iodide (Minerals Sources)
- Potato Chip Meal (Food Waste)
- Potato Waste (Roots, Fruits & Byproducts)
- Poultry Litter (Manure – Nutritional)
- Poultry Manure Liquid (Manure – Fertilizer)
- Poultry Manure Solid (Manure – Fertilizer)
- Poultry Meal (Animal Byproducts)

- Pumpkin (Roots, Fruits & Byproducts)
- QC Corn Silage Check Cell (QC Material)
- QC Haylage Check Cell (QC Material)
- Quality Control (QC Material)
- Quinoa Forage Ensiled (Forages – Ensiled)
- Red Dog Flour (Commercial Products)
- Reeds Canary Forage Dry (Forages – Dry)
- Reeds Canary Forage Ensiled (Forages – Ensiled)
- Rice (Cereal Grains)
- Rice Bran (Cereal Byproducts)
- Rice Forage Ensiled (Forages – Ensiled)
- Rice Hulls (Cereal Byproducts)
- Rice Mill Feed (Cereal Byproducts)
- Rice Straw (Forages – Dry)
- Rumen Fluid (Rumen Fluid)
- Rye Forage Dry (Forages – Dry)
- Rye Forage Ensiled (Forages – Ensiled)
- Rye Grain (Cereal Grains)
- Safflower Meal (Oilseed Byproducts & Meals)
- Sake Lees (Food Waste)
- Saw Dust (Miscellaneous)
- Selenium (Minerals Sources)
- Sesame Seed Meal (Oilseed Byproducts & Meals)
- Small Grain Byproduct (Cereal Byproducts)
- Small Grain Forage Dry (Forages – Dry)
- Small Grain Forage Ensiled (Forages – Ensiled)
- Small Grains (Cereal Grains)
- Snaplage (Cereal Grains)
- Sodium Bicarbonate (Minerals Sources)
- Sodium Selenite (Minerals Sources)
- Sodium Sulphate (Minerals Sources)
- Sorghum / Sudan Forage Dry (Forages – Dry)
- Sorghum / Sudan Forage Ensiled (Forages – Ensiled)
- Sorghum BMR Forage Ensiled (Forages – Ensiled)
- Sorghum Forage Dry (Forages – Dry)
- Sorghum Forage Ensiled (Forages – Ensiled)
- Sorghum Forage Ensiled, High Starch (Forages – Ensiled)
- Sorghum Grain (Cereal Grains)
- Sorghum / Sudan BMR Forage Ensiled (Forages – Ensiled)
- Soy Protein Bypass (Oilseed Byproducts & Meals)
- Soy Sauce Byproduct (Food Waste)
- Soybean Forage Dry (Forages – Dry)
- Soybean Forage Ensiled (Forages – Ensiled)
- Soybean Meal, Organic (Oilseed Byproducts & Meals)
- Soybean, Extruded (Oilseeds)
- Soybeans, Heat Treated (Oilseeds)
- Soybeans, Raw (Oilseeds)
- Soyhulls (Oilseed Byproducts & Meals)
- Spelts Grain (Cereal Grains)
- Stover / Stalklage (Forages – Fresh)
- Straw (Forages – Dry)
- Sudan Forage Dry (Forages – Dry)
- Sudan Forage Ensiled (Forages – Ensiled)
- Sugar Cane (Roots, Fruits & Byproducts)
- Sunflower Meal (Oilseed Byproducts & Meals)
- Sunflower Oil Cake (Oilseed Byproducts & Meals)
- Sunflower Seeds (Oilseeds)
- Sunn Hemp Forage Dry (Forages – Dry)
- Sweet Potato (Roots, Fruits & Byproducts)
- Swine Manure Liquid (Manure – Fertilizer)
- Swim Naure Solid (Manure – Fertilizer)
- Switchgrass Forage Dry (Forages – Dry)
- Tallow (Fats and Oils)
- Tea Dregs (Food Waste)
- Teff Forage Dry (Forages – Dry)
- Tifton Forage Dry (Forages – Dry)

- Tifton Forage Ensiled (Forages – Ensiled)
- Timothy Forage Dry (Forages – Dry)
- Timothy Forage Ensiled (Forages – Ensiled)
- TMR (Total Mixed Rations)
- Tofu (Food Waste)
- Tomato Forage Ensiled (Forages – Ensiled)
- Tortillas (Food Waste)
- Tree Nuts (Oilseeds)
- Tree Nuts Meal (Oilseed Byproducts & Meals)
- Triticale Forage Dry (Forages – Dry)
- Triticale Forage Ensiled (Forages – Ensiled)
- Turnips (Roots, Fruits & Byproducts)
- Uncategorized (Miscellaneous)
- Uncategorized Forage Dry (Forages – Dry)
- Uncategorized Forage Ensiled (Forages – Ensiled)
- Urea (Miscellaneous)
- Urine (Miscellaneous)
- Vegetable Oils (Fats and Oils)
- Vegetable Waste (Roots, Fruits & Byproducts)
- Wash Water (Manure – Fertilizer)
- Water (Water)
- Western Hay (Forages – Dry)
- Wheat Bran (Cereal Byproducts)
- Wheat Forage Dry (Forages – Dry)
- Wheat Forage Ensiled (Forages – Ensiled)
- Wheat Grain (Cereal Grains)
- Wheat Midds (Cereal Byproducts)
- Whey (Milk Products)
- Whole Cottonseed (Oilseed Byproducts & Meals)
- Zinc Oxide 72% (Minerals Sources)
- Zinc Sulphate (Minerals Sources)